


# Introduction to our IRC network



Our IRC network can be accessed with an IRC client on `irc.f-hub.org` via port `6697` (SSL only). It runs on the modern IRCv3 capable IRCd [Ergo.chat](#). It therefore comes with built in history and multi-client connections out of the box and no additional [bouncer](#) is required. We also fully integrate with XMPP and Matrix via our own [gateways](#) that allow federated access to any IRC channel.

## Registering accounts

Accounts from F-hub.org are automatically registered on our IRC network and can be used to authenticate via SASL login. In addition it is possible to register independent accounts through NICKSERV like on other IRC networks. Please contact us in those rare cases where there is a conflict with an existing user account name.

## Bouncer functionality

Once registered you can connect with multiple clients to the same account like common with IRC bouncers. Our Ergo IRCd tries to emulate ZNC to some extent in that regard. By default, persistent connection mode is enabled, but you can opt-out of it via: `/msg NickServ set always-on false`

## Channel history

Channel history is automatically logged by the network itself (via IRCv3 history standard) and stored for 30 days. It can be easily accessed by history capable IRC clients or alternatively via

`/history #channel 6h` or similar, please see the [full guide here](#).

## IRC tutorial

If you are new to IRC, please refer to our [IRC tutorial that explains basic features and commands](#).

## Recommended clients

[IRCv3 capable clients](#) are strongly recommended for accessing our network and we provide easy to use web-clients. You can learn more about our [recommended IRC clients here](#).

## Helper bot

We run a helpful little bot that can be invited to any channel via `/invite bot`. Type `@help` to ask the bot for instructions. You can learn more about it on our [dedicated wiki page here](#).

## Gateways

Our IRC network also offers [gateway access from federated XMPP and Matrix accounts](#). Please note that due to the federated nature of these systems chat-logs may be stored for a longer period on connected third party servers and the gateways themselves.

## Connecting from Tor

Due to repeated abuse we automatically filter all connection attempts against IP addresses of Tor exit nodes and other known abusive source IPs via automated real-time block lists. As a result many Tor exit node IPs are blocked and the remaining ones require SASL account authentication on connection.

---

Revision #22

Created 28 April 2023 13:07:14 by Bookstack\_admin

Updated 10 June 2024 00:26:08